

609 - 21 Avenue Nisku, Alberta T9E 7X9 Phone: 780-955-9688 Fax: 780-955-9389 NON-DESTRUCTIVE EXAMINATION & ENGINEERING 24 Hour Service

EQUIPMENT CERTIFICATION

July 23, 2009

issued to:

Edcon Power Tongs and Oilfield Services Ltd. Box 209 Lac La Biche, Alberta TOA 2C0

Equipment:	Web Wilson Side Door Casing Elevator, c/w Safety Latch Lock Pin
Model:	H-150, 11%''-90°, 150-Ton
Serial #:	ED54954
Stamp:	T&T 36823
Equipment #:	1009
T & T Field Report #:	36823
Hi Quality Machine & Oilfield	W.O.# 377
Engineering File #:	090716228

The above-mentioned equipment required a Level IV inspection, repairs where needed and certification for service.

T & T Inspections & Engineering Ltd. conducted the magnetic particle inspection and visual examination. Recommended repair procedures were given to Hi Quality Machine & Ollfield Repair Ltd.

Based on the final inspection and review of critical dimensions and load test results, it is our opinion that the equipment is a safe operating unit and may be returned to service within the manufacturer's original ratings and specifications.

This certification is valid for a period of 500 operating days, as per the recommendations provided by the Canadian Association of Oilwell Drilling Contractors, or until the unit has been damaged either as a result of operation, transportation or handling.

PERMIT TO PRACTICE T&TINSPECTION GINEERING LTD. Signature Date PERMIT NUMBER: P 6501 The Association of Professional Engineers, Geologists and Geophysicists of Alberta



Red Flame Industries



Asset ID : TT 36823 (Tool #1009)

Report # : NDT17716-TS1179					
Client :	Edcon Power Tongs & Oilfield - Lac La Biche				
Inspection Date :	Oct 23, 2017				
Inspection Location :	Lac La Biche				
Client Ref :	MPI Inspection				

Red Flame Industries Testing Equipment						
Yoke						
Make	Model	Serial#	Calibration	Expires Date		
Magnaflux	Y-1	762	Feb 16, 2017	Feb 16, 2018		

Magnetic Particle Examination Information and Results

Material Type: Carbon Steel Temperature: 0° to 20°C Surface Preparation: Painted Acceptance Criteria: Red Flame Engineering Acceptance Technique Used: AC Dry Powder - Continuous Procedure: MT-1 Rev. 8.3 In accordance with codes: ASME V Article 7, ASME B30.20

Branch: Lac La Biche

Client WO : Client PO : Jay

Results Magnetic Particle Examination Conducted On - Casing Elevator - 11.750" - 298.450MM 150 Ton - TT 36823 (Tool #1009)

Visible Dry Particle Examination Conducted With AC Powered Yoke.

Multidirectional Field Achieved By Repositioning Yoke At Right Angles In Each Area Examined. Powder Applied With Hand Blower. Batch Number 16F104 Powder Removal By Light Exhalation. Minimum White Light At Examination Surface: 1000 Lux. Particle Size 2-6 im. Particle Color: YELLOW.

Examination Conducted On 10" Elevator; All Accessible Surfaces, Transition Areas And Lift Points On Fully Assembled Painted Elevator As Requested.

Results: No Relevant Indications Were Detected At The Time Of Examination.

See Photo.

Red Flame Industries Personnel Information

Technician: Tom Schulz SNT-MT2 SNT-UT2 SNT-PT2 CGSB-MT2 - 17965 Assistant:

Signature:

Red Flame Industries





1009.jpg Report Attachments

Red Flame Industries

6736-71 Street, Red Deer Alberta, Canada T4P 3Y7 Phone: (403) 343-2012 Toll Free: (888) 846-8827 Page 2 of 2