

October 17, 2014

Edcon Power Tongs + Oilfield Services Ltd.
Box 209
Lac La Biche, Alberta
T0A 2C0

Equipment Certification

Rig No.:	N/A
Equipment:	<i>Web Wilson Casing Elevator</i>
Model:	<i>5 1/2" - 90° - C 100 Ton</i>
Customer P.O.:	N/A
Serial No.:	<i>EQ# 538</i>
Inspection Report No.:	<i>H-23975</i>
Alco Sales/Engineering No.:	<i>52626-E</i>
APEGGA Permit to Practice No.:	<i>P10702</i>
Alco Shop Work Order # :	N/A

The above-mentioned elevator required a Level IV inspection (as per Canadian Association of Oilwell Drilling Contractors, R.P. 2.0), applicable repairs, and certification for service.

A magnetic particle (MT) inspection was conducted on Sep 29, 2014, after the elevator was completely disassembled and sandblasted.

Repair procedures were developed based on the MT inspection report as well as a thorough visual examination performed by qualified personnel with Alco Inc.

Based on the final inspection on Oct 17, 2014, after load testing, it is our opinion that the elevator is a safe operating unit and may be returned to service within the manufacturer's original rating and specification.

This certification is valid for a period of 500 operating days from the date indicated on the engineer's stamp shown below, as per the recommendations provided by the Canadian Association of Oilwell Drilling Contractors, or until the elevator has been damaged either as a result of operation, transportation or handling.



Report # : NDT17716-TS1115	Asset ID : TOOL #538 5" ELEVATOR
Client : Edcon Power Tongs & Oilfield - Lac La Biche	Branch : Lac La Biche
Inspection Date : Oct 23, 2017	Client WO :
Inspection Location : Lac La Biche	Client PO : Jay
Client Ref : MPI Inspection	

Red Flame Industries Testing Equipment				
Yoke				
Make	Model	Serial#	Calibration	Expires Date
Magnaflux	Y-1	762	Feb 16, 2017	Feb 16, 2018

Magnetic Particle Examination Information and Results

Material Type: Carbon Steel Technique Used: AC Dry Powder - Continuous
 Temperature: 0° to 20°C Procedure: MT-1 Rev. 8.3
 Surface Preparation: Painted In accordance with codes: ASME V Article 7, ASME B30.20
 Acceptance Criteria: Red Flame Engineering Acceptance

Results

Magnetic Particle Examination Conducted On - Elevator - TOOL #538 5" ELEVATOR

Visible Dry Particle Examination Conducted With AC Powered Yoke.

Multidirectional Field Achieved By Repositioning Yoke At Right Angles In Each Area Examined.
 Powder Applied With Hand Blower. Batch Number 16F104 Powder Removal By Light Exhalation.
 Minimum White Light At Examination Surface: 1000 Lux. Particle Size 2-6 μm. Particle Color: YELLOW.

Examination Conducted On 5" Elevator; All Accessible Surfaces, Transition Areas And Lift Points On Fully Assembled Painted Elevator As Requested.

Results: No Relevant Indications Were Detected At The Time Of Examination.

See Photo.

Red Flame Industries Personnel Information

Technician: Tom Schulz
 SNT-MT2
 SNT-UT2
 SNT-PT2
 CGSB-MT2 - 17965

Assistant:

Signature:





538.jpg

Report Attachments