

2107 - 6 Street, Nisku, Alberta T9E 7X8
Phone: 780-955-9688 Fax: 780-955-9389
NON-DESTRUCTIVE EXAMINATION & ENGINEERING
24 Hour Service

EQUIPMENT CERTIFICATION

December 01, 2014

Rev #: 1

January 06, 2015

Issued to:

Edcon Power Tongs and Oilfield Services Ltd. Box 209 Lac La Biche, Alberta T0A 2C0

Equipment: M & W Side Door Casing Elevator

Model: 5½" x 90°, 100-Ton, c/w Safety Latch Lock Pin

Stamp: T&T 45062

Equipment #: 547

T & T Field Report #: 45062

Hi Quality Machine & Oilfield W.O.# 6430

Engineering File #: 141022412

The above-mentioned equipment required a Level IV inspection, repairs where needed and certification for service.

T & T Inspections & Engineering Ltd. conducted the magnetic particle inspection and visual examination. Recommended repair procedures were given to Hi Quality Machine & Oilfield Repair Ltd.

Based on the final inspection and review of critical dimensions, components, and load test results, it is our opinion that the equipment is a safe operating unit and may be returned to service within the manufacturer's original ratings and specifications.

This certification is valid for a period of 500 operating days, as per the recommendations provided by the Canadian Association of Oilwell Drilling Contractors, or until the unit has been damaged either as a result of operation, transportation or handling.

PERMIT TO PRACTICE

T & T INSPECTIONS & ENGINEERING LTD.

Signature

Date

PERMIT NUMBER: P 6501

The Association of Professional Engineers and Geoscientists of Alberta



January 6, 2015

Red Flame Industries



Report # : NDT17716-TS1199 Asset ID : TT 45062 (Tool# 547)

Client : Edcon Power Tongs & Oilfield - Lac La Biche

Branch: Lac La Biche

Inspection Date: Oct 23, 2017

Client WO : Client PO : Jay

Inspection Location: Lac La Biche
Client Ref: MPI Inspection

Red Flame Industries Testing Equipment				
Yoke				
Make	Model	Serial#	Calibration	Expires Date
Magnaflux	Y-1	762	Feb 16, 2017	Feb 16, 2018

Magnetic Particle Examination Information and Results

Material Type: Carbon Steel Technique Used: AC Dry Powder - Continuous

Temperature: 0° to 20°C Procedure: MT-1 Rev. 8.3

Surface Preparation: Painted In accordance with codes: ASME V Article 7, ASME B30.20

Acceptance Criteria: Red Flame Engineering Acceptance

Results

Magnetic Particle Examination Conducted On - Casing Elevator - 5.500" - 139.700MM 100 Ton - TT 45062 (Tool# 547)

Visible Dry Particle Examination Conducted With AC Powered Yoke.

Multidirectional Field Achieved By Repositioning Yoke At Right Angles In Each Area Examined. Powder Applied With Hand Blower. Batch Number 16F104 Powder Removal By Light Exhalation. Minimum White Light At Examination Surface: 1000 Lux. Particle Size 2-6 im. Particle Color: YELLOW.

Examination Conducted On 5" Elevator; All Accessible Surfaces, Transition Areas And Lift Points On Fully Assembled Painted Elevator As Requested.

Results: No Relevant Indications Were Detected At The Time Of Examination.

See Photo.

Red Flame Industries Personnel Information

Technician: Tom Schulz

Assistant:

SNT-MT2 SNT-UT2 SNT-PT2

CGSB-MT2 - 17965

Signature:

Red Flame Industries

6736-71 Street, Red Deer Alberta, Canada T4P 3Y7 Phone: (403) 343-2012 Toll Free: (888) 846-8827 Ignite the possibilities

Page 1 of 2

Red Flame Industries





IMG_2035.JPG

Report Attachments

